

|          |               |
|----------|---------------|
| 診療科・対象疾患 | 消化器内科・胆道癌     |
| プロトコール名  | キイトルーダ療法(3週毎) |
| 1コース日数   | 21日           |
| 催吐リスク分類  | 最小度           |

| 薬剤名     | 投与量        | day1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |  |  |  |  |  |  |  |
|---------|------------|------|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|--|--|--|--|--|--|--|
| キイトルーダ注 | 200mg/body | ●    |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |  |  |  |  |  |  |  |
|         |            |      |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |  |  |  |  |  |  |  |
|         |            |      |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |  |  |  |  |  |  |  |
|         |            |      |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |  |  |  |  |  |  |  |
|         |            |      |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |  |  |  |  |  |  |  |
|         |            |      |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |  |  |  |  |  |  |  |

治療スケジュール  
処方

Day1

